



P



001



K

## Lampiran I. Surat Persetujuan Penelitian

### IZIN PENELITIAN

Hal : Balasan

Kepada Yth.

Saudara/i

Di Tempat

Dengan hormat,

Yang bertanda tangan di bawah ini :

Nama : Sri Maryanti, A.Md.,Keb

Jabatan : Pimpinan

Menerangkan bahwa,

Nama : Firdha Kusuma Wulandari

NIM : 19011152

Telah kami setuju untuk melaksanakan penelitian di PMB Sri Maryanti Kabupaten Kubu Raya sebagai syarat penyusunan laporan tugas akhir dengan judul :

**"Faktor-Faktor Yang Berhubungan Dengan Kejadian Ruptur Perineum  
Pada Persalinan Spontan Di PMB Sri Maryanti Kabupaten Kubu Raya"**

Demikian surat ini kami sampaikan dan atas kerjasamanya kami mengucapkan terimakasih.

Sungai Raya, 15 November 2021

Hormat kami,

Pimpinan PMB Sri Maryanti



Sri Maryanti, A.Md.,Keb

**Lampiran II. Time Schedule Penyusunan Laporan Tugas Akhir**

**TIME SCHEDULE PENYUSUNAN LAPORAN TUGAS AKHIR**

**MAHASISWA PRODI DIII KEBIDANAN**

**TAHUN AKADEMIK 2021/2022**

| NO. | KEGIATAN                                                                         | WAKTU                      | KETERANGAN               |
|-----|----------------------------------------------------------------------------------|----------------------------|--------------------------|
| 1.  | Pengajuan topik/judul penelitian                                                 | 22 Desember 2021           | Pembimbing LTA Mahasiswa |
| 2.  | Penyusunan LTA                                                                   | 26 Januari – 20 Maret 2022 | Pembimbing LTA Mahasiswa |
| 3.  | Ujian hasil LTA                                                                  | 25 Maret 2022              | Penguji Mahasiswa        |
| 4.  | Revisi dan penjilidan LTA                                                        | 26 Maret – 28 April 2022   | Pembimbing LTA Mahasiswa |
| 5.  | Pengumpulan LTA yang telah disahkan dewan penguji dalam bentuk CD dan Hard Cover | 03 Mei 2022                | Mahasiswa                |

Lampiran III. Bukti Bimbingan Laporan Tugas Akhir Dengan Pembimbing 1

|  <p style="text-align: center;"><b>LEMBAR BIMBINGAN LAPORAN TUGAS AKHIR</b><br/><b>POLITEKNIK AISYIYAH PONTIANAK</b><br/>T.A. 2021 / 2022</p> |                                                                                                                       |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| Nama Mahasiswa                                                                                                                                                                                                                 | : <u>Firdha Kusuma Wulandari</u>                                                                                      |
| NIM                                                                                                                                                                                                                            | : <u>19011152</u>                                                                                                     |
| JUDUL LTA                                                                                                                                                                                                                      | : <u>Faktor - Faktor yang Berhubungan Dengan Kejadian Ruptur Perineum Pada persalinan Spontan di PMB Sri Maryanti</u> |
| PEMBIMBING                                                                                                                                                                                                                     | : <u>Elsa Martha Lina, S.keb., Bd., m.keb.</u>                                                                        |

Kegiatan Bimbingan LTA

| No. | Hari/Tanggal       | Waktu     | Catatan Bimbingan         | Tanda tangan                                                                          |                                                                                       |
|-----|--------------------|-----------|---------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|     |                    |           |                           | Dosen                                                                                 | Mhs wa                                                                                |
| 1.  | Rabu, 22/12/2021   | 10.00     | ACC Judul                 |  |  |
| 2.  | Kamis, 27/12/2021  | 13.00     | Konsul Bab 1              |  |  |
| 3.  | Senin, 7/01/2022   | 09.00     | Konsul Revisi bab 1       |  |  |
| 4.  | Jum'at, 11/01/2022 | 19.00     | Konsul Bab 1 - 3          |  |  |
| 5.  | Rabu, 16/01/2022   | 10.30     | Konsul Pengelatan data    |  |  |
| 6.  | Selasa, 01/02/2022 | 14.00     | Konsul dan revisi bab 4-5 |  |  |
| 7.  | Jum'at, 18/02/2022 | 11.00 WIB | Konsul dan ACC LTA        |  |  |

Pontianak, 18 Maret 2022

Pembimbing



Lampiran VI. Data Case Control

Elsa Martha Lina, S.keb., Bd., m.keb.


| No | Umur | Kategori | Paritas | Kategori | Bb   | Kategori | Kala ii | Kategori | Ruptur | Kategori |
|----|------|----------|---------|----------|------|----------|---------|----------|--------|----------|
| 1  | 22   | 2        | P2      | 2        | 3000 | 2        | 15'     | 2        | intack | 2        |
| 2  | 27   | 2        | P3      | 2        | 3300 | 2        | 5'      | 2        | intack | 2        |
| 3  | 27   | 2        | P2      | 2        | 3300 | 2        | 20'     | 2        | intack | 2        |
| 4  | 20   | 2        | P1      | 1        | 3000 | 2        | 5'      | 2        | intack | 2        |
| 5  | 23   | 2        | P2      | 2        | 3000 | 2        | 10'     | 2        | intack | 2        |
| 6  | 26   | 2        | P3      | 2        | 2850 | 2        | 30'     | 2        | intack | 2        |
| 7  | 26   | 2        | P3      | 2        | 3300 | 2        | 5'      | 2        | intack | 2        |
| 8  | 25   | 2        | P2      | 2        | 3300 | 2        | 40'     | 2        | intack | 2        |
| 9  | 27   | 2        | P3      | 2        | 3500 | 1        | 5'      | 2        | intack | 2        |
| 10 | 28   | 2        | P2      | 2        | 3300 | 2        | 25'     | 2        | intack | 2        |
| 11 | 24   | 2        | P2      | 2        | 3600 | 1        | 10'     | 2        | intack | 2        |
| 12 | 23   | 2        | P2      | 2        | 2900 | 2        | 30'     | 2        | intack | 2        |
| 13 | 25   | 2        | P2      | 2        | 3300 | 2        | 10'     | 2        | intack | 2        |
| 14 | 30   | 2        | P5      | 1        | 3600 | 1        | 10'     | 2        | intack | 2        |
| 15 | 26   | 2        | P3      | 2        | 3200 | 2        | 8'      | 2        | intack | 2        |
| 16 | 30   | 2        | P5      | 1        | 3000 | 2        | 35'     | 2        | intack | 2        |
| 17 | 30   | 2        | P4      | 2        | 2900 | 2        | 5'      | 2        | intack | 2        |
| 18 | 22   | 2        | P2      | 2        | 3350 | 2        | 20'     | 2        | intack | 2        |
| 19 | 26   | 2        | P3      | 2        | 3200 | 2        | 30'     | 2        | intack | 2        |
| 20 | 30   | 2        | P3      | 2        | 3100 | 2        | 5'      | 2        | intack | 2        |
| 21 | 39   | 1        | P3      | 2        | 3200 | 2        | 5'      | 2        | intack | 2        |
| 22 | 22   | 2        | P1      | 1        | 2900 | 2        | 30'     | 2        | intack | 2        |
| 23 | 23   | 2        | P1      | 1        | 3100 | 2        | 20'     | 2        | intack | 2        |
| 24 | 28   | 2        | P3      | 2        | 2500 | 2        | 20'     | 2        | intack | 2        |
| 25 | 30   | 2        | P4      | 2        | 3700 | 1        | 2'      | 2        | intack | 2        |
| 26 | 28   | 2        | P3      | 2        | 2800 | 2        | 8'      | 2        | intack | 2        |
| 27 | 20   | 2        | P1      | 1        | 2800 | 2        | 65'     | 1        | intack | 2        |
| 28 | 30   | 2        | P3      | 2        | 3500 | 1        | 20      | 2        | intack | 2        |
| 29 | 24   | 2        | P2      | 2        | 3600 | 1        | 24'     | 2        | intack | 2        |
| 30 | 38   | 1        | P3      | 2        | 3000 | 2        | 15'     | 2        | intack | 2        |
| 31 | 37   | 2        | P3      | 2        | 1600 | 2        | 13'     | 2        | intack | 2        |
| 32 | 35   | 2        | P3      | 2        | 2700 | 2        | 5'      | 2        | intack | 2        |
| 33 | 25   | 2        | P1      | 1        | 3400 | 2        | 73'     | 1        | intack | 2        |
| 34 | 38   | 1        | P4      | 2        | 1600 | 2        | 13      | 2        | intack | 2        |
| 35 | 27   | 2        | P2      | 2        | 3300 | 2        | 50      | 2        | intack | 2        |
| 36 | 32   | 2        | P6      | 1        | 3100 | 2        | 10      | 2        | intack | 2        |
| 37 | 28   | 2        | P3      | 2        | 3450 | 2        | 14      | 2        | intack | 2        |
| 38 | 30   | 2        | P2      | 2        | 2800 | 2        | 30      | 2        | intack | 2        |
| 39 | 45   | 1        | P5      | 1        | 2600 | 2        | 5       | 2        | intack | 2        |
| 40 | 26   | 2        | P3      | 2        | 2850 | 2        | 30'     | 2        | intack | 2        |
| 41 | 18   | 1        | P1      | 1        | 2700 | 2        | 25'     | 2        | intack | 2        |

|    |    |   |    |   |      |   |      |   |        |   |
|----|----|---|----|---|------|---|------|---|--------|---|
| 42 | 25 | 2 | P2 | 2 | 4200 | 1 | 40'  | 2 | intack | 2 |
| 43 | 28 | 2 | P2 | 2 | 3300 | 2 | 25'  | 2 | intack | 2 |
| 44 | 37 | 1 | P4 | 2 | 4100 | 1 | 10'  | 2 | intack | 2 |
| 45 | 23 | 2 | P2 | 2 | 2900 | 2 | 30'  | 2 | intack | 2 |
| 46 | 25 | 2 | P2 | 2 | 3300 | 2 | 10'  | 2 | intack | 2 |
| 47 | 21 | 2 | P2 | 2 | 2700 | 2 | 15'  | 2 | intack | 2 |
| 1  | 16 | 1 | P1 | 1 | 3700 | 1 | 80   | 1 | II     | 1 |
| 2  | 23 | 2 | P2 | 2 | 3300 | 2 | 63   | 1 | II     | 1 |
| 3  | 25 | 2 | P2 | 2 | 3500 | 1 | 15'  | 2 | I      | 1 |
| 4  | 19 | 1 | P1 | 1 | 1800 | 2 | 15'  | 2 | II     | 1 |
| 5  | 17 | 1 | P1 | 1 | 3300 | 2 | 85'  | 1 | II     | 1 |
| 6  | 28 | 2 | P3 | 2 | 3200 | 2 | 15'  | 2 | II     | 1 |
| 7  | 22 | 2 | P2 | 2 | 3500 | 1 | 25'  | 2 | II     | 1 |
| 8  | 27 | 2 | P3 | 2 | 3100 | 2 | 25'  | 2 | II     | 1 |
| 9  | 31 | 2 | P4 | 2 | 3400 | 2 | 10'  | 2 | II     | 1 |
| 10 | 23 | 2 | P2 | 2 | 3500 | 1 | 20'  | 2 | II     | 1 |
| 11 | 18 | 1 | P1 | 1 | 3700 | 1 | 65   | 1 | II     | 1 |
| 12 | 16 | 1 | P1 | 1 | 3400 | 2 | 30'  | 2 | III    | 1 |
| 13 | 37 | 1 | P4 | 2 | 4100 | 1 | 50'  | 2 | I      | 1 |
| 14 | 24 | 2 | P2 | 2 | 3300 | 2 | 25'  | 2 | III    | 1 |
| 15 | 18 | 1 | P1 | 1 | 2700 | 2 | 25'  | 2 | I      | 1 |
| 16 | 23 | 2 | P2 | 2 | 3700 | 1 | 30'  | 2 | II     | 1 |
| 17 | 14 | 1 | P1 | 1 | 2300 | 2 | 15'  | 2 | II     | 1 |
| 18 | 26 | 2 | P3 | 2 | 3900 | 1 | 40'  | 2 | III    | 1 |
| 19 | 23 | 2 | P2 | 2 | 3500 | 1 | 35'  | 2 | II     | 1 |
| 20 | 19 | 1 | P1 | 1 | 3600 | 1 | 45'  | 2 | III    | 1 |
| 21 | 28 | 2 | P3 | 2 | 2500 | 2 | 20'  | 2 | I      | 1 |
| 22 | 22 | 2 | P1 | 1 | 3400 | 2 | 20'  | 2 | III    | 1 |
| 23 | 40 | 1 | P5 | 1 | 4500 | 1 | 97'  | 1 | I      | 1 |
| 24 | 25 | 2 | P1 | 1 | 2800 | 2 | 23'  | 2 | II     | 1 |
| 25 | 19 | 1 | P1 | 1 | 3300 | 2 | 100' | 1 | II     | 1 |
| 26 | 43 | 1 | P7 | 1 | 4100 | 1 | 7'   | 2 | II     | 1 |
| 27 | 21 | 2 | P1 | 1 | 3000 | 2 | 30'  | 2 | II     | 1 |
| 28 | 22 | 2 | P2 | 2 | 3500 | 1 | 45'  | 2 | II     | 1 |
| 29 | 20 | 2 | P1 | 1 | 3200 | 2 | 39'  | 2 | II     | 1 |
| 30 | 37 | 1 | P4 | 2 | 3500 | 1 | 90   | 1 | II     | 1 |
| 31 | 20 | 2 | P1 | 1 | 3400 | 2 | 15'  | 2 | II     | 1 |
| 32 | 16 | 1 | P1 | 1 | 3300 | 2 | 30'  | 2 | II     | 1 |
| 33 | 23 | 2 | P2 | 2 | 4000 | 1 | 63'  | 1 | II     | 1 |
| 34 | 18 | 1 | P1 | 1 | 2600 | 2 | 10'  | 2 | II     | 1 |
| 35 | 24 | 2 | P2 | 2 | 2900 | 2 | 71   | 1 | I      | 1 |
| 36 | 17 | 1 | P1 | 1 | 3100 | 2 | 33'  | 2 | II     | 1 |

|    |    |   |    |   |      |   |      |   |     |   |
|----|----|---|----|---|------|---|------|---|-----|---|
| 37 | 24 | 2 | P1 | 1 | 3000 | 2 | 5    | 2 | II  | 1 |
| 38 | 25 | 2 | P1 | 1 | 3200 | 2 | 125  | 1 | III | 1 |
| 39 | 36 | 1 | P5 | 1 | 3900 | 1 | 50   | 2 | I   | 1 |
| 40 | 33 | 2 | P2 | 2 | 3100 | 2 | 10   | 2 | II  | 1 |
| 41 | 38 | 1 | P6 | 1 | 4000 | 1 | 40   | 2 | II  | 1 |
| 42 | 29 | 2 | P2 | 2 | 2900 | 2 | 1    | 2 | II  | 1 |
| 43 | 22 | 2 | P1 | 1 | 3800 | 1 | 105' | 1 | III | 1 |
| 44 | 43 | 1 | P7 | 1 | 4100 | 1 | 7'   | 2 | II  | 1 |
| 45 | 26 | 2 | P3 | 2 | 3900 | 1 | 10   | 2 | II  | 1 |
| 46 | 39 | 1 | P2 | 2 | 3400 | 2 | 10   | 2 | II  | 1 |
| 47 | 19 | 1 | P1 | 1 | 3500 | 1 | 10   | 2 | II  | 1 |

PERPUSTAKAAN

NPP. 6171052A2000001



POLITEKNIK 'AISYIYAH PONTIANAK

## Lampiran V. Dokumentasi Penelitian (Hasil Pengolahan Data Menggunakan SPSS)

### 1. Analisis univariat

**Ruptur Perineum**

|       |              | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|--------------|-----------|---------|---------------|--------------------|
| Valid | Ruptur       | 47        | 50.0    | 50.0          | 50.0               |
|       | Tidak Ruptur | 47        | 50.0    | 50.0          | 100.0              |
|       | Total        | 94        | 100.0   | 100.0         |                    |

**Usia Ibu**

|       |                | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|----------------|-----------|---------|---------------|--------------------|
| Valid | Berisiko       | 27        | 28.7    | 28.7          | 28.7               |
|       | Tidak Berisiko | 67        | 71.3    | 71.3          | 100.0              |
|       | Total          | 94        | 100.0   | 100.0         |                    |

**Paritas Ibu**

|       |                | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|----------------|-----------|---------|---------------|--------------------|
| Valid | Berisiko       | 36        | 38.3    | 38.3          | 38.3               |
|       | Tidak Berisiko | 58        | 61.7    | 61.7          | 100.0              |
|       | Total          | 94        | 100.0   | 100.0         |                    |

**Berat Badan Bayi**

|       |                | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|----------------|-----------|---------|---------------|--------------------|
| Valid | Berisiko       | 29        | 30.9    | 30.9          | 30.9               |
|       | Tidak Berisiko | 65        | 69.1    | 69.1          | 100.0              |
|       | Total          | 94        | 100.0   | 100.0         |                    |

**Lama Kala II**

|       |                | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|----------------|-----------|---------|---------------|--------------------|
| Valid | Berisiko       | 13        | 13.8    | 13.8          | 13.8               |
|       | Tidak Berisiko | 81        | 86.2    | 86.2          | 100.0              |
|       | Total          | 94        | 100.0   | 100.0         |                    |

2. Analisis bivariat  
a. Usia Ibu \* Ruptur Perineum

**Crosstab**

|          |                |                          | Ruptur Perineum |              | Total  |
|----------|----------------|--------------------------|-----------------|--------------|--------|
|          |                |                          | Ruptur          | Tidak Ruptur |        |
| Usia Ibu | Berisiko       | Count                    | 21              | 6            | 27     |
|          |                | % within Ruptur Perineum | 44.7%           | 12.8%        | 28.7%  |
|          | Tidak Berisiko | Count                    | 26              | 41           | 67     |
|          |                | % within Ruptur Perineum | 55.3%           | 87.2%        | 71.3%  |
| Total    |                | Count                    | 47              | 47           | 94     |
|          |                | % within Ruptur Perineum | 100.0%          | 100.0%       | 100.0% |

## PERPISTAKAAN

NPP. 6171052A2000001

**Chi-Square Tests**

|                                    | Value               | Df | Asymp. Sig. (2-sided) | Exact Sig. (2-sided) | Exact Sig. (1-sided) |
|------------------------------------|---------------------|----|-----------------------|----------------------|----------------------|
| Pearson Chi-Square                 | 11.692 <sup>a</sup> | 1  | .001                  |                      |                      |
| Continuity Correction <sup>b</sup> | 10.185              | 1  | .001                  |                      |                      |
| Likelihood Ratio                   | 12.213              | 1  | .000                  |                      |                      |
| Fisher's Exact Test                |                     |    |                       | .001                 | .001                 |
| Linear-by-Linear Association       | 11.567              | 1  | .001                  |                      |                      |
| N of Valid Cases <sup>b</sup>      | 94                  |    |                       |                      |                      |

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 13.50.

b. Computed only for a 2x2 table

**Symmetric Measures**

|                    |                         | Value | Approx. Sig. |
|--------------------|-------------------------|-------|--------------|
| Nominal by Nominal | Contingency Coefficient | .333  | .001         |
| N of Valid Cases   |                         | 94    |              |

**Risk Estimate**

|                                                     | Value | 95% Confidence Interval |        |
|-----------------------------------------------------|-------|-------------------------|--------|
|                                                     |       | Lower                   | Upper  |
| Odds Ratio for Usia Ibu (Berisiko / Tidak Berisiko) | 5.519 | 1.967                   | 15.488 |
| For cohort Ruptur Perineum = Ruptur                 | 2.004 | 1.396                   | 2.879  |
| For cohort Ruptur Perineum = Tidak Ruptur           | .363  | .175                    | .754   |
| N of Valid Cases                                    | 94    |                         |        |

b. Paritas Ibu \* Ruptur Perineum

Crosstab

|             |                          |                          | Ruptur Perineum |              | Total  |
|-------------|--------------------------|--------------------------|-----------------|--------------|--------|
|             |                          |                          | Ruptur          | Tidak Ruptur |        |
| Paritas Ibu | Berisiko                 | Count                    | 26              | 10           | 36     |
|             |                          | % within Ruptur Perineum | 55.3%           | 21.3%        | 38.3%  |
|             | Tidak Berisiko           | Count                    | 21              | 37           | 58     |
|             |                          | % within Ruptur Perineum | 44.7%           | 78.7%        | 61.7%  |
| Total       | Count                    |                          | 47              | 47           | 94     |
|             | % within Ruptur Perineum |                          | 100.0%          | 100.0%       | 100.0% |

PERPUSTAKAAN

NPP. 6171052A2000001

Chi-Square Tests

|                                    | Value               | df | Asymp. Sig. (2-sided) | Exact Sig. (2-sided) | Exact Sig. (1-sided) |
|------------------------------------|---------------------|----|-----------------------|----------------------|----------------------|
| Pearson Chi-Square                 | 11.525 <sup>a</sup> | 1  | .001                  |                      |                      |
| Continuity Correction <sup>b</sup> | 10.129              | 1  | .001                  |                      |                      |
| Likelihood Ratio                   | 11.838              | 1  | .001                  |                      |                      |
| Fisher's Exact Test                |                     |    |                       | .001                 | .001                 |
| Linear-by-Linear Association       | 11.402              | 1  | .001                  |                      |                      |
| N of Valid Cases <sup>b</sup>      | 94                  |    |                       |                      |                      |

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 18,00.

b. Computed only for a 2x2 table

Symmetric Measures

|                    |                         | Value | Approx. Sig. |
|--------------------|-------------------------|-------|--------------|
| Nominal by Nominal | Contingency Coefficient | .330  | .001         |
| N of Valid Cases   |                         | 94    |              |

Risk Estimate

|                                                        | Value | 95% Confidence Interval |        |
|--------------------------------------------------------|-------|-------------------------|--------|
|                                                        |       | Lower                   | Upper  |
| Odds Ratio for Paritas Ibu (Berisiko / Tidak Berisiko) | 4.581 | 1.854                   | 11.321 |
| For cohort Ruptur Perineum = Ruptur                    | 1.995 | 1.341                   | 2.967  |
| For cohort Ruptur Perineum = Tidak Ruptur              | .435  | .248                    | .763   |
| N of Valid Cases                                       | 94    |                         |        |

c. Berat Badan Bayi \* Ruptur Perineum

**Crosstab**

|                  |                          |                          | Ruptur Perineum |              | Total  |
|------------------|--------------------------|--------------------------|-----------------|--------------|--------|
|                  |                          |                          | Ruptur          | Tidak Ruptur |        |
| Berat Badan Bayi | Berisiko                 | Count                    | 21              | 8            | 29     |
|                  |                          | % within Ruptur Perineum | 44.7%           | 17.0%        | 30.9%  |
|                  | Tidak Berisiko           | Count                    | 26              | 39           | 65     |
|                  |                          | % within Ruptur Perineum | 55.3%           | 83.0%        | 69.1%  |
| Total            | Count                    |                          | 47              | 47           | 94     |
|                  | % within Ruptur Perineum |                          | 100.0%          | 100.0%       | 100.0% |

PERPISTAKAAN

NPP. 6171052A2000001

**Chi-Square Tests**

|                                    | Value              | Df | Asymp. Sig. (2-sided) | Exact Sig. (2-sided) | Exact Sig. (1-sided) |
|------------------------------------|--------------------|----|-----------------------|----------------------|----------------------|
| Pearson Chi-Square                 | 8.428 <sup>a</sup> | 1  | .004                  | .007                 | .003                 |
| Continuity Correction <sup>b</sup> | 7.181              | 1  | .007                  |                      |                      |
| Likelihood Ratio                   | 8.658              | 1  | .003                  |                      |                      |
| Fisher's Exact Test                |                    |    |                       |                      |                      |
| Linear-by-Linear Association       | 8.338              | 1  | .004                  |                      |                      |
| N of Valid Cases <sup>b</sup>      | 94                 |    |                       |                      |                      |

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 14,50.

b. Computed only for a 2x2 table

**Symmetric Measures**

|                    |                         | Value | Approx. Sig. |
|--------------------|-------------------------|-------|--------------|
| Nominal by Nominal | Contingency Coefficient | .287  | .004         |
| N of Valid Cases   |                         | 94    |              |

POLIT

ANAK

#### Risk Estimate

|                                                             | Value | 95% Confidence Interval |        |
|-------------------------------------------------------------|-------|-------------------------|--------|
|                                                             |       | Lower                   | Upper  |
| Odds Ratio for Berat Badan Bayi (Berisiko / Tidak Berisiko) | 3.938 | 1.517                   | 10.218 |
| For cohort Ruptur Perineum = Ruptur                         | 1.810 | 1.247                   | 2.629  |
| For cohort Ruptur Perineum = Tidak Ruptur                   | .460  | .247                    | .857   |
| N of Valid Cases                                            | 94    |                         |        |

d. Lama Kala II \* Ruptur Perineum

#### Crosstab

|              |                |                          | Ruptur Perineum |              | Total  |
|--------------|----------------|--------------------------|-----------------|--------------|--------|
|              |                |                          | Ruptur          | Tidak Ruptur |        |
| Lama Kala II | Berisiko       | Count                    | 11              | 2            | 13     |
|              |                | % within Ruptur Perineum | 23.4%           | 4.3%         | 13.8%  |
|              | Tidak Berisiko | Count                    | 36              | 45           | 81     |
|              |                | % within Ruptur Perineum | 76.6%           | 95.7%        | 86.2%  |
| Total        |                | Count                    | 47              | 47           | 94     |
|              |                | % within Ruptur Perineum | 100.0%          | 100.0%       | 100.0% |

#### Chi-Square Tests

|                                    | Value              | df | Asymp. Sig. (2-sided) | Exact Sig. (2-sided) | Exact Sig. (1-sided) |
|------------------------------------|--------------------|----|-----------------------|----------------------|----------------------|
| Pearson Chi-Square                 | 7.231 <sup>a</sup> | 1  | .007                  |                      |                      |
| Continuity Correction <sup>b</sup> | 5.713              | 1  | .017                  |                      |                      |
| Likelihood Ratio                   | 7.861              | 1  | .005                  |                      |                      |
| Fisher's Exact Test                |                    |    |                       | .014                 | .007                 |
| Linear-by-Linear Association       | 7.154              | 1  | .007                  |                      |                      |
| N of Valid Cases <sup>b</sup>      | 94                 |    |                       |                      |                      |

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 6,50.

b. Computed only for a 2x2 table

#### Symmetric Measures

|                    |                         | Value | Approx. Sig. |
|--------------------|-------------------------|-------|--------------|
| Nominal by Nominal | Contingency Coefficient | .267  | .007         |
| N of Valid Cases   |                         | 94    |              |

**Risk Estimate**

|                                                         | Value | 95% Confidence Interval |        |
|---------------------------------------------------------|-------|-------------------------|--------|
|                                                         |       | Lower                   | Upper  |
| Odds Ratio for Lama Kala II (Berisiko / Tidak Berisiko) | 6.875 | 1.432                   | 33.015 |
| For cohort Ruptur Perineum = Ruptur                     | 1.904 | 1.360                   | 2.665  |
| For cohort Ruptur Perineum = Tidak Ruptur               | .277  | .076                    | 1.006  |
| N of Valid Cases                                        | 94    |                         |        |

3. Analisis multivariat  
a. Seleksi kandidat

**Variables in the Equation**

|                     |          | B      | S.E. | Wald   | df | Sig. | Exp(B) | 95,0% C.I. for EXP(B) |        |
|---------------------|----------|--------|------|--------|----|------|--------|-----------------------|--------|
|                     |          |        |      |        |    |      |        | Lower                 | Upper  |
| Step 1 <sup>a</sup> | Usia     | 1.708  | .526 | 10.529 | 1  | .001 | 5.519  | 1.967                 | 15.488 |
|                     | Constant | -2.961 | .959 | 9.530  | 1  | .002 | .052   |                       |        |

a. Variable(s) entered on step 1: Usia.

**Variables in the Equation**

|                     |          | B      | S.E. | Wald   | df | Sig. | Exp(B) | 95,0% C.I. for EXP(B) |        |
|---------------------|----------|--------|------|--------|----|------|--------|-----------------------|--------|
|                     |          |        |      |        |    |      |        | Lower                 | Upper  |
| Step 1 <sup>a</sup> | Paritas  | 1.522  | .462 | 10.869 | 1  | .001 | 4.581  | 1.854                 | 11.321 |
|                     | Constant | -2.477 | .793 | 9.766  | 1  | .002 | .084   |                       |        |

a. Variable(s) entered on step 1: Paritas.

**Variables in the Equation**

|                     |          | B      | S.E. | Wald  | df | Sig. | Exp(B) | 95,0% C.I. for EXP(B) |        |
|---------------------|----------|--------|------|-------|----|------|--------|-----------------------|--------|
|                     |          |        |      |       |    |      |        | Lower                 | Upper  |
| Step 1 <sup>a</sup> | BB_Bayi  | 1.371  | .487 | 7.935 | 1  | .005 | 3.937  | 1.517                 | 10.218 |
|                     | Constant | -2.336 | .869 | 7.229 | 1  | .007 | .097   |                       |        |

a. Variable(s) entered on step 1: BB\_Bayi.

Variables in the Equation

|                     |          | B      | S.E.  | Wald  | df | Sig. | Exp(B) | 95,0% C.I. for EXP(B) |        |
|---------------------|----------|--------|-------|-------|----|------|--------|-----------------------|--------|
|                     |          |        |       |       |    |      |        | Lower                 | Upper  |
| Step 1 <sup>a</sup> | Kala_II  | 1.928  | .801  | 5.799 | 1  | .016 | 6.875  | 1.432                 | 33.015 |
|                     | Constant | -3.633 | 1.554 | 5.467 | 1  | .019 | .026   |                       |        |

a. Variable(s) entered on step 1: Kala\_II.

b. Pemodelan

### Model 1

Variables in the Equation

|                     |          | B      | S.E.  | Wald   | df | Sig. | Exp(B) | 95,0% C.I. for EXP(B) |        |
|---------------------|----------|--------|-------|--------|----|------|--------|-----------------------|--------|
|                     |          |        |       |        |    |      |        | Lower                 | Upper  |
| Step 1 <sup>a</sup> | Usia     | 1.044  | .612  | 2.911  | 1  | .088 | 2.841  | .856                  | 9.427  |
|                     | Kala_II  | 1.375  | .888  | 2.400  | 1  | .121 | 3.955  | .694                  | 22.524 |
|                     | Paritas  | 1.197  | .561  | 4.553  | 1  | .033 | 3.309  | 1.102                 | 9.934  |
|                     | BB_Bayi  | 1.395  | .561  | 6.182  | 1  | .013 | 4.034  | 1.344                 | 12.110 |
|                     | Constant | -8.752 | 2.304 | 14.428 | 1  | .000 | .000   |                       |        |

a. Variable(s) entered on step 1: Usia, Kala\_II, Paritas, BB\_Bayi.

### Model 2

Variables in the Equation

|                     |          | B      | S.E.  | Wald   | df | Sig. | Exp(B) | 95,0% C.I. for EXP(B) |        |
|---------------------|----------|--------|-------|--------|----|------|--------|-----------------------|--------|
|                     |          |        |       |        |    |      |        | Lower                 | Upper  |
| Step 1 <sup>a</sup> | Paritas  | 1.708  | .497  | 11.806 | 1  | .001 | 5.519  | 2.083                 | 14.622 |
|                     | BB_Bayi  | 1.591  | .530  | 9.009  | 1  | .003 | 4.911  | 1.737                 | 13.884 |
|                     | Constant | -5.486 | 1.371 | 16.000 | 1  | .000 | .004   |                       |        |

a. Variable(s) entered on step 1: Paritas, BB\_Bayi.

### Model 3

Variables in the Equation

|                     |          | B      | S.E.  | Wald   | Df | Sig. | Exp(B) | 95,0% C.I. for EXP(B) |        |
|---------------------|----------|--------|-------|--------|----|------|--------|-----------------------|--------|
|                     |          |        |       |        |    |      |        | Lower                 | Upper  |
| Step 1 <sup>a</sup> | BB_Bayi  | 1.132  | .527  | 4.611  | 1  | .032 | 3.103  | 1.104                 | 8.720  |
|                     | Kala_II  | 1.671  | .851  | 3.859  | 1  | .049 | 5.320  | 1.004                 | 28.190 |
|                     | Usia     | 1.561  | .555  | 7.922  | 1  | .005 | 4.765  | 1.607                 | 14.135 |
|                     | Constant | -7.798 | 2.130 | 13.407 | 1  | .000 | .000   |                       |        |

a. Variable(s) entered on step 1: BB\_Bayi, Kala\_II, Usia.

## Model akhir


Variables in the Equation

|                     |          | B      | S.E.  | Wald   | df | Sig. | Exp(B) | 95,0% C.I. for EXP(B) |        |
|---------------------|----------|--------|-------|--------|----|------|--------|-----------------------|--------|
|                     |          |        |       |        |    |      |        | Lower                 | Upper  |
| Step 1 <sup>a</sup> | Usia     | 1.044  | .612  | 2.911  | 1  | .088 | 2.841  | .856                  | 9.427  |
|                     | Kala_II  | 1.375  | .888  | 2.400  | 1  | .121 | 3.955  | .694                  | 22.524 |
|                     | Paritas  | 1.197  | .561  | 4.553  | 1  | .033 | 3.309  | 1.102                 | 9.934  |
|                     | BB_Bayi  | 1.395  | .561  | 6.182  | 1  | .013 | 4.034  | 1.344                 | 12.110 |
|                     | Constant | -8.752 | 2.304 | 14.428 | 1  | .000 | .000   |                       |        |

a. Variable(s) entered on step 1: Usia, Kala\_II, Paritas, BB\_Bayi.

PERPUSTAKAAN

NPP. 6171052A2000001



POLITEKNIK 'AISYIYAH PONTIANAK